4

5

6

8

1

2

1

1

1

CLAIMS

What is claimed is:

1. A method for re-ordering requests for shared resources, the method comprising:

receiving requests for accessing the shared resources from one or more requestors, wherein a plurality of requests may be received from each requestor;

arbitrating between the plurality of requests in such a way so that the plurality of requests from each requestor may be re-ordered in non-FIFO order; and

7 selecting a next request to access the shared resources based on the re-

ordering of requests.

2. The method of claim 1, further comprising:

associating a unique identifier tag with each request.

3. The method of claim 2, further comprising:

using the identifier tag by the requestors to keep track of when the plurality of requests from each requestor are serviced.

4. The method of claim 3, further comprising:

2 initiating servicing of the selected request; and

transmitting the identifier tag and a strobe signal to a requestor that sent the selected request.

5. The method of claim 4, further comprising:

2	embedding additional information	h the identifier tag that relates to data
3	associated with the request.	

- 6. The method of claim 1, wherein the requests comprise memory requests, and wherein the shared resources comprise a shared memory system.
- 7. The method of claim 5, wherein the selected request comprises a memory write request.
 - 8. The method of claim 7, wherein the additional information in the identifier tag associated with the memory write request includes a location in buffer memory of data to be written.
 - 9. The method of claim 5, wherein the selected request comprises a memory read request.
- 10. The method/of claim 9, wherein the additional information in the
 identifier tag associated with the memory read request includes a location in buffer
 memory in which the data is to be written.
 - 11. A system for re-ordering requests for shared resources, the system comprising:
- one or more requestors for sending requests for accessing the shared resources, wherein a plurality of requests may be received from each requestor;
 - an arbiter for arbitrating between the plurality of requests in such a way so that the plurality of requests from each requestor may be re-ordered in non-FIFO order.

2

1

2

1

- 1 12. The system of claim 1, wherein the requestors associate a unique 2 identifier tag with each request.
- 1 13. The system of claim 12, wherein the requestors use identifier tags to 2 keep track of when the plurality of requests from each requestor are serviced.
- 1 14. The system of daim 13, wherein the arbiter initiates servicing of the selected request; and transmits the identifier tag and a strobe signal to a requestor that sent the selected request.
 - 15. The system of claim 14, wherein the identifier tag includes additional information that relates to data associated with the selected request.
 - 16. The system of claim 11, wherein the requests comprise memory requests, and wherein the shared resources comprise a shared memory system.
 - 17. The system of claim 15, wherein the selected request comprises a memory write request.
- 1 18. The system of claim 17, wherein the additional information in the 2 identifier tag associated with the memory write request includes a location in buffer 3 memory of data to be written.
- 1 19. The system of claim 15, wherein the selected request comprises a 2 memory read request.
- 1 20. The system of claim 19, wherein the additional information in the 2 identifier tag associated with the memory read request includes a location in buffer 3 memory in which the data is to be written.

H

1

A	
,	

1	21.	An apparatus for re-organization	ering requests for	shared resources, f	the
2	apparatus co	omprising:			

- means for receiving requests for accessing the shared resources from one or
- 4 more requestors, wherein a plurality of requests may be received from each
- 5 requestor;
- 6 means for arbitrating between the plurality of requests in such a way so that
- 7 the plurality of requests from each requestor may be re-ordered in non-FIFO order;
- 8 and
- 9 means for selecting a next request to access the shared resources based on the re-ordering of requests.
- 1 22. The apparatus of claim 21, further comprising:
- means for associating a unique identifier tag with each request.
- 1 23. The apparatus of claim 22, further comprising:
- 2 means for using the identifier tag by the requestors to keep track of when the
- plurality of requests from each requestor are serviced.
- 1 24. The apparatus of claim 23, further comprising:
- 2 means for initiating servicing of the selected request; and
- means for transmitting the identifier tag and a strobe signal to a requestor that
 sent the selected request.
 - 25. The apparatus of claim 24, further comprising:

2	means for embedding additiona	γ information in the identifier tag that relates to
3	data associated with the request.	

- 26. The apparatus of claim 21, wherein the requests comprise memory requests, and wherein the shared resources comprise a shared memory system.
- 1 27. The apparatus of claim 25, wherein the selected request comprises a 2 memory write request.
 - 28. The apparatus of claim 27, wherein the additional information in the identifier tag associated with the memory write request includes a location in buffer memory of data to be written.
 - 29. The apparatus of claim 25, wherein the selected request comprises a memory read request
 - 30. The apparatus of claim 29, wherein the additional information in the identifier tag associated with the memory read request includes a location in buffer memory in which the data is to be written.